

Amendments to the Claims

This listing of claims replaces all prior versions, and listings, of claims in the above-identified application:

1-17. Canceled

18. (Currently Amended) A method of identifying a compound that binds to a target molecule, the method comprising:

providing a plurality of mixtures of test compounds, each mixture being in a sample reservoir;

introducing a target molecule into each of the sample reservoirs to provide a plurality of test samples;

providing a nuclear magnetic resonance spectrometer equipped with a flow-injection probe;

transferring each test sample from the sample reservoir into the flow-injection probe;

collecting a relaxation-edited nuclear magnetic resonance spectrum on each test sample in each sample reservoir; and

comparing the spectra of each test sample to the spectra taken under the same conditions in the absence of the target molecule to identify test compounds that bind to the target molecule;

wherein the concentration of target molecule and each test compound in each sample reservoir is no greater than about 100 μ M.

19. (Original) The method of claim 18 wherein each mixture is in a sample reservoir of a multiwell sample holder.

Preliminary Amendment

Page 5 of 8

Applicant(s): Stockman et al.

Serial No. Unknown (Parent Serial No. 09/677,107)

Filed: Herewith (Parent: September 29, 2000)

For: METHODS FOR CREATING A COMPOUND LIBRARY AND IDENTIFYING LEAD CHEMICAL
TEMPLATES AND LIGANDS FOR TARGET MOLECULES

20. (Original) The method of claim 19 wherein the multiwell sample holder is a 96-well microtiter plate.
21. (Original) The method of claim 18 wherein each test compound has a solubility in deuterated water of at least about 1 mM at room temperature.
22. (Original) The method of claim 18 wherein each test compound has a molecular weight of no greater than about 350 grams/mole.
23. (Original) The method of claim 18 wherein collecting a relaxation-edited nuclear magnetic resonance spectrum comprises collecting a 1D relaxation-edited nuclear magnetic resonance spectrum.
24. (Original) The method of claim 23 wherein collecting a 1D relaxation-edited nuclear magnetic resonance spectrum comprises collecting a 1D relaxation-edited ¹H nuclear magnetic resonance spectrum.
25. (Currently Amended) The method of claim 18 wherein the mixture of test compounds comprises at least about 3 compounds, each having at least one distinguishable resonance in a 1D NMR spectrum of the mixture.
26. (Currently Amended) The method of claim 25 wherein the mixture of test compounds comprises at least about 6 compounds.
27. (Original) The method of claim 25 wherein the ratio of target molecule to each test compound in each sample reservoir is about 1:1.

Preliminary Amendment

Page 6 of 8

Applicant(s): Stockman et al.

Serial No. Unknown (Parent Serial No. 09/677,107)

Filed: Herewith (Parent: September 29, 2000)

For: METHODS FOR CREATING A COMPOUND LIBRARY AND IDENTIFYING LEAD CHEMICAL
TEMPLATES AND LIGANDS FOR TARGET MOLECULES

28. (Currently Amended) The method of claim 18 wherein the concentration of target molecule and each test compound in each sample reservoir is no greater than about 50 μM .
29. (Currently Amended) The method of claim 18 wherein the dissociation constant of a test compound that binds to the target molecule is at least about 100 μM .
30. (Original) The method of claim 18 wherein the target molecule is a protein.
- 31-45. Canceled